Environmental Protection Agency

Table 1 to Subpart MM of Part 63—General Provisions Applicability to Subpart MM

SUBPART MM					
General provisions reference	Summary of requirements	Applies to subpart MM	Explanation		
63.1(a)(1)	General applicability of the General Provisions.	Yes	Additional terms defined in §63.861; when overlap be- tween subparts A and MM of this part, subpart MM takes precedence.		
63.1(a)(2)–(14)	General applicability of the General Provisions.	Yes.			
63.1(b)(1)	Initial applicability determina- tion	No	Subpart MM specifies the applicability in § 63.860.		
63.1(b)(2)	Title V operating permit—see 40 CFR part 70.	Yes	All major affected sources are required to obtain a title V permit.		
63.1(b)(3)	Record of the applicability determination.	No	All affected sources are sub- ject to subpart MM accord- ing to the applicability defini- tion of subpart MM.		
63.1(c)(1)	Applicability of subpart A of this part after a relevant standard has been set.	Yes	Subpart MM clarifies the appli- cability of each paragraph of subpart A of this part to sources subject to subpart MM.		
63.1(c)(2)	Title V permit requirement	Yes	All major affected sources are required to obtain a title V permit. There are no area sources in the pulp and paper mill source category.		
63.1(c)(3)	[Reserved] Requirements for existing source that obtains an ex-	NA Yes.			
63.1(c)(5)	tension of compliance. Notification requirements for an area source that in- creases HAP emissions to major source levels.	Yes.			
63.1(d)	[Reserved] Applicability of permit program before a relevant standard	NA. Yes.			
63.2	has been set. Definitions	Yes	Additional terms defined in § 63.861; when overlap between subparts A and MM of this part occurs, subpart MM takes precedence.		
63.3 63.4	Units and abbreviations Prohibited activities and cir-	Yes. Yes.			
63.5(a)	cumvention. Construction and reconstruc-	Yes.			
63.5(b)(1)	tion—applicability. Upon construction, relevant	Yes.			
63.5(b)(2)	standards for new sources. [Reserved]	NA.			
63.5(b)(3)	New construction/reconstruction.	Yes.			
63.5(b)(4)	Construction/reconstruction notification.	Yes.			
63.5(b)(5)	Construction/reconstruction compliance.	Yes.			
63.5(b)(6)	Equipment addition or process change.	Yes.			
63.5(c)	[Reserved] Application for approval of construction/reconstruction.	NA. Yes.			
63.5(e)	Construction/reconstruction approval.	Yes.			
63.5(f)	Construction/reconstruction approval based on prior	Yes.			
63.6(a)(1)	State preconstruction review. Compliance with standards and maintenance require- ments—applicability.	Yes.			

40 CFR Ch. I (7-1-14 Edition)

Pt. 63, Subpt. MM, Table 1

		T	Г
General provisions reference	Summary of requirements	Applies to subpart MM	Explanation
63.6(a)(2)	Requirements for area source that increases emissions to become major.	Yes.	
63.6(b)	Compliance dates for new and reconstructed sources.	Yes.	
63.6(c)	Compliance dates for existing sources.	Yes, except for sources granted extensions under 63.863(c).	Subpart MM specifically stipulates the compliance schedule for existing sources.
63.6(e)	[Reserved] Operation and maintenance requirements.	NA. Yes.	-
63.6(f)	Compliance with nonopacity emissions standards.	Yes.	
63.6(g)	Compliance with alternative nonopacity emissions standards.	Yes.	
63.6(h)	Compliance with opacity and visible emissions (VE) standards.	Yes	Subpart MM does not contain any opacity or VE stand- ards; however, § 63.864 specifies opacity monitoring requirements.
63.6(i)	Extension of compliance with emission standards.	Yes, except for sources granted extensions under	
63.6(j)	Exemption from compliance	63.863(c). Yes.	
63.7(a)(1)	with emissions standards. Performance testing require-	Yes	§ 63.865(c)(1) specifies the
σον (α)(τ)	ments—applicability.		only exemption from per- formance testing allowed under subpart MM.
63.7(a)(2)	Performance test dates Performance test requests by	Yes. Yes.	
03.7(a)(3)	Administrator under CAA section 114.	Tes.	
63.7(b)(1)	Notification of performance test.	Yes.	
63.7(b)(2)	Notification of delay in con- ducting a scheduled per- formance test.	Yes.	
63.7(c)	Quality assurance program	Yes.	
63.7(d)	Performance testing facilities Conduct of performance tests	Yes. Yes.	
63.7(f)	Use of an alternative test method.	Yes.	
63.7(g)	Data analysis, recordkeeping, and reporting.	Yes.	
63.7(h)	Waiver of performance tests	Yes	§ 63.865(c)(1) specifies the only exemption from performance testing allowed
63.8(a)	Monitoring requirements—applicability.	Yes	under subpart MM. See § 63.864.
63.8(b)	Conduct of monitoring	Yes	See § 63.864.
63.8(c)	Operation and maintenance of CMS.	Yes	See § 63.864.
63.8(d)	Quality control program Performance evaluation of	YesYes.	See § 63.864.
63.8(e)(2)	CMS. Notification of performance evaluation.	Yes.	
63.8(e)(3)	Submission of site-specific performance evaluation test	Yes.	
63.8(e)(4)	plan. Conduct of performance evaluation and performance	Yes.	
63.8(e)(5)	evaluation dates. Reporting performance evaluation results.	Yes.	
63.8(f)	Use of an alternative monitoring method.	Yes.	
63.8(g)	Reduction of monitoring data	Yes.	
63.9(a)	Notification requirements—applicability and general information.	Yes.	
		•	•

Environmental Protection Agency

Pt. 63, Subpt. MM, Table 1

General provisions reference	Summary of requirements	Applies to subpart MM	Explanation
63.9(b)	Initial notifications Request for extension of compliance.	Yes. Yes.	
63.9(d)	Notification that source subject to special compliance re-	Yes.	
63.9(e)	quirements. Notification of performance test.	Yes.	
63.9(f)	Notification of opacity and VE observations.	Yes	Subpart MM does not contain any opacity or VE stand- ards; however, § 63.864 specifies opacity monitoring requirements.
63.9(g)(1)	Additional notification require- ments for sources with CMS.	Yes.	
63.9(g)(2)	Notification of compliance with opacity emissions standard.	Yes	Subpart MM does not contain any opacity or VE emissions standards; however, § 63.864 specifies opacity monitoring requirements.
63.9(g)(3)	Notification that criterion to continue use of alternative to relative accuracy testing has been exceeded.	Yes.	
63.9(h)	Notification of compliance status.	Yes.	
63.9(i)	Adjustment to time periods or postmark deadlines for sub- mittal and review of required communications.	Yes.	
63.9(j)	Change in information already provided.	Yes.	
63.10(a)	Recordkeeping requirements— applicability and general in- formation.	Yes	See § 63.866.
63.10(b)(1)	Records retention	Yes. Yes.	
63.10(b)(3)	Records retention for sources not subject to relevant standard.	Yes	Applicability requirements are given in § 63.860.
63.10(c)	Additional recordkeeping requirements for sources with CMS	Yes.	
63.10(d)(1)	General reporting require- ments.	Yes.	
63.10(d)(2)	Reporting results of perform- ance tests.	Yes.	
63.10(d)(3)	Reporting results of opacity or VE observations.	Yes	Subpart MM does not include any opacity or VE stand- ards; however, § 63.864 specifies opacity monitoring requirements.
63.10(d)(4)63.10(d)(5)	Progress reports Periodic and immediate start-	Yes. Yes.	
V-/V-/	up, shutdown, and malfunc- tion reports.		
63.10(e)	Additional reporting requirements for sources with CMS.	Yes.	
63.10(f)	Waiver of recordkeeping and reporting requirements.	Yes.	
63.11	Control device requirements for flares.	No	The use of flares to meet the standards in subpart MM is not anticipated.
63.12	State authority and delegations.	Yes.	
63.13	Addresses of State air pollu- tion control agencies and EPA Regional Offices.	Yes.	
63.14 63.15	Incorporations by reference Availability of information and confidentiality.	Yes. Yes.	

[66 FR 3193, Jan. 12, 2001, as amended at 66 FR 16408, Mar. 26, 2001]

Subpart OO—National Emission Standards for Tanks—Level 1

SOURCE: 61 FR 34184, July 1, 1996, unless otherwise noted.

§ 63.900 Applicability.

The provisions of this subpart apply to the control of air emissions from tanks for which another subpart of 40 CFR parts 60, 61, or 63 references the use of this subpart for such air emission control. These air emission standards for tanks are placed here for administrative convenience and only apply to those owners and operators of facilities subject to the other subparts that reference this subpart. The provisions of 40 CFR part 63, subpart A—General Provisions do not apply to this subpart except as noted in the subpart that references this subpart.

§ 63.901 Definitions.

All terms used in this subpart shall have the meaning given to them in the Act and in this section. If a term is defined in both this section and in another subpart that references the use of this subpart, then the definition in this subpart shall take precedence when implementing this subpart.

Closure device means a cap, hatch, lid, plug, seal, valve, or other type of fitting that, when the device is secured in the closed position, prevents or reduces air emissions to the atmosphere by blocking an opening in a fixed roof. Closure devices include devices that are detachable from the cover (e.g., a sampling port cap), manually operated (e.g., a hinged access lid or hatch), or automatically operated (e.g., a springloaded pressure relief valve).

Fixed roof means a cover that is mounted on a tank in a stationary position and does not move with fluctuations in the level of the liquid managed in the tank.

No detectable organic emissions means no escape of organics to the atmosphere as determined using the procedure specified in §63.905(a) of this subpart.

Regulated-material means the material (e.g. waste, wastewater, off-site

material) required to be managed in tanks using air emission controls in accordance with the standards specified in this subpart.

Safety device means a closure device such as a pressure relief valve, frangible disc, fusible plug, or any other type of device which functions to prevent physical damage or permanent deformation to equipment by venting gases or vapors during unsafe conditions resulting from an unplanned, accidental, or emergency event. For the purpose of this subpart, a safety device is not used for routine venting of gases or vapors from the vapor headspace underneath a cover such as during filling of the unit or to adjust the pressure in this vapor headspace in response to normal daily diurnal ambient temperature fluctuations. A safety device is designed to remain in a closed position during normal operations and open only when the internal pressure, or another relevant parameter, exceeds the device threshold setting applicable to the equipment as determined by the owner or operator based on manufacturer recommendations, applicable regulations, fire protection and prevention codes, standard engineering codes and practices, or other requirements for the safe handling of flammable, combustible, explosive, reactive, or hazardous materials.

Tank means a stationary unit that is constructed primarily of nonearthen materials (such as wood, concrete, steel, fiberglass, or plastic) which provide structural support and is designed to hold an accumulation of liquids or other materials.

[61 FR 34184, July 1, 1996, as amended at 64 FR 38985, July 20, 1999]

§ 63.902 Standards—Tank fixed roof.

(a) This section applies to owners and operators subject to this subpart and controlling air emissions from a tank using a fixed roof. This section does not apply to a fixed-roof tank that is also equipped with an internal floating roof.

(b) The tank shall be equipped with a fixed roof designed to meet the following specifications: